MORN®

ALUMINUM MAST LIFT



Jinan Sinicmech Machinery Co., ltd
(MORN GROUP)

About MORN

Jinan Sinicmech Machinery Co.,Ltd (MORN Group) is a professional lift platform manufacturer and is also the biggest producer in northern China. Branded with MORN LIFT, our product category covers scissor lift table, goods lift, aerial work platform,home elevator, loading dock ramp and dumbwaiter with both standard models and custom models.

MORN has been adhering to the development guideline of " Safety and Efficiency" ever since the company was founded in 2007. To provide safe, convenient and efficient lifting equipment to facilitate user' s goods handing work and aerial work, we focus on product quality, capacity and durability throughout the process of product design, manufacturing, quality test, trial running and after-sales service.

Tell us your work need and we will recommend you the best suitable lifting solution designed according to your installation site and work requirement.



Mast Lift Introduction

Convenient design

AC power to platform
Standard forklift pocket
Single person loading
Alumunum material light weight
Auxiliary mobile wheels





Standard

Dual controls operation
Emergency lowing system
Emergency stop button
Overload protection
Dual activated up/down switch
Locking key switch
Leveling indicator
AC to platform

Aluminum lift is made up of high grade aluminum profile and equipped with the universal wheels, beautiful structure, compact main body, light weighted, safe and reliable; the control panels are available on the lift platforms and ground. It is mainly used for the painting, clean, installation and maintenance of the narrow spaces such as star hotels, modern workshops, business hall, hotels, lobby,

Mast Lift Introduction

Model	Max. Workin	Platfor m	Loadng capacit	Platform Size	Overall Length	Overall Width	Overall Height	Weight
TAM0.1-6B	8.2m	6.2m	150kg	0.66*0.67m	1.97m	0.81m	1.24m	305kg
TAM0.1-8B	9.7m	7.7m	150kg	0.66*0.67m	1.97m	0.81m	1.24m	335kg
TAM0.1-9B	11.2m	9.2m	136kg	0.66*0.67m	1.97m	0.81m	1.28m	365kg
TAM0.1-10B	12.4m	10.4m	136kg	0.66*0.67m	1.97m	0.81m	1.28m	385kg
TAM0.1-11B	12.7m	10.7m	120kg	0.66*0.67m	2.3m	0.81m	1.5m	455kg
TAM0.1-12B	14m	12m	120kg	0.66*0.67m	1.45m	0.81m	2.68m	710kg
TAM0.2S-6B	8.3m	6.3m	250kg	1.45*0.7m	1.99m	0.81m	1.45m	490kg
TAM0.2S-8B	9.8m	7.8m	250kg	1.45*0.7m	1.99m	0.81m	1.45m	535kg
TAM0.2S-9B	11.3m	9.3m	250kg	1.45*0.7m	1.99m	0.81m	1.45m	580kg
TAM0.2S-11B	12.8m	10.8m	250kg	1.45*0.7m	1.99m	0.81m	1.45m	625kg
TAM0.2S-12B	14m	12m	200kg	1.85*0.7m	1.99m	0.81m	1.88m	710kg
TAM0.2-8B	9.8m	7.8m	250kg	1.73*0.7m	1.99m	0.81m	1.88m	585kg
TAM0.2-9B	11.3m	9.3m	250kg	1.73*0.7m	1.99m	0.81m	1.88m	630kg
TAM0.2-11B	12.6m	10.6m	250kg	1.73*0.7m	1.99m	0.81m	1.88m	675kg
TAM0.2-12B	14.2m	12.2m	250kg	1.73*0.7m	1.99m	0.9m	1.97m	780kg
TAM0.2-13B	15.6m	13.6m	200kg	1.73*0.7m	1.99m	0.9m	1.97m	815kg
TAM0.2-14B	16.2m	14.2m	200kg	1.73*0.7m	2.3m	0.9m	1.97m	850kg

Mast Lift Introduction

Truck loading wheels make it easy to load the lift onto trucks by one man.





Forklift pockets make the forklift loads and unloads the aluminum mast lift easily.


Auxiliary mobile wheels make it move easily on tough ground





Interlock outrigger indicator. The lift could be operated only after the four outrigger are well assemble and the lights show green.

Double hand operation button on control panel on ground and platform to avoid unconscious operation, AC power on platform for convenient use.





Insert type aluminum alloy outrigger leg with bigger force area and more stable when working

MORN | Mast Lift Introduction

Optional

Battery Power
Dual power (AC+Battery)
Auxiliary ambulation
Solid tire
Platform control panel



Model	Max. Working Height	Platform Height	Load Capacity	Platform Size	Overall Length	Overall Width	Overall Height	Weight
TAM0.1-4A	6m	4m	100kg	0.6*0.6M	1.28m	0.8m	1.75m	250kg
TAM0.1-6A	8m	6m	100kg	0.6*0.6M	1.28m	0.8m	1.9m	280kg
TAM0.1-8A	10m	8m	100kg	0.6*0.6M	1.28m	0.8m	1.98m	300kg
TAM0.1-9A	11m	9m	100kg	0.6*0.6M	1.36m	0.85m	2m	320kg
TAM0.1-10A	12m	10m	100kg	0.6*0.6M	1.36m	0.9m	2.1m	340kg

Mast Lift Introduction

Optional

- Battery Power
- Dual power (AC+Battery)
- Auxiliary ambulation
- Extend platform
- Solid tire
- Platform control panel



Model	Max. Working	Platform Height	Load Capacity	Platform Size	Overall Length	Overall Width	Overall Height	Weight
TAM0.2-4A	6m	4m	200kg	1.1*0.6m	1.3m	0.9m	1.75m	380kg
TAM0.2-6A	8m	6m	200kg	1.1*0.6m	1.3m	0.9m	1.9m	420kg
TAM0.2-8A	10m	8m	200kg	1.15*0.6m	1.36m	0.9m	2.0m	550kg
TAM0.2-10A	12m	10m	200kg	1.35*0.6m	1.56m	0.97m	1.9m	600kg
TAM0.2-12A	14m	12m	200kg	1.45*0.6m	1.66m	0.97m	2.0m	700kg
TAM0.2-14A	16m	14m	200kg	1.45*0.6m	1.66m	1.1m	2.35m	800kg
TAM0.3-10A	12m	10m	200kg	1.57*0.9m	1.85m	1.25m	2.0m	900kg
TAM0.3-12A	14m	12m	200kg	1.57*0.9m	1.85m	1.25m	2.0m	900kg
TAM0.3-14A	16m	14m	200kg	1.57*0.9m	1.85m	1.25m	2.35m	1000kg
TAM0.3-16A	18m	16m	200kg	1.57*0.9m	1.85m	1.25m	2.65m	1000kg
TAM0.4-10A	12m	10m	200kg	1.47*0.85m	2.0m	1.25m	1.9m	1100kg
TAM0.4-12A	14m	12m	200kg	1.57*0.9m	2.1m	1.25m	2.0m	1200kg
TAM0.4-14A	16m	14m	200kg	1.57*0.9m	2.1m	1.25m	2.35m	1300kg
TAM0.4-16A	18m	16m	200kg	1.57*0.9m	2.1m	1.25m	2.65m	1500kg
TAM0.4-18A	20m	18m	200kg	1.57*0.9m	2.1m	1.35m	2.9m	1700kg

MORN GROUP LIMITED

Tel: 0086 531 55572832 / 55572829 Fax: +86 531 88692337

Email: inquiry05@mornlift.com

Website: www.mornlift.com www.sinolifter.com

NO.5 Qisheng building, High Tech Zone, Jinan, China